

# GIORIK

INNOVATIVE COOKING EQUIPMENT SINCE 1963

**kompatto**  
MAXIMUM **IN** MINIMUM



<b>H</b> VERSIONI CON BOILER AD ALTA EFFICIENZA - TOUCH SCREEN VERSIONS WITH HIGH EFFICIENCY BOILER - TOUCH SCREEN				
Modello Model	Dimensioni Dimensions	Capacità Capacity	Tensione Voltage	Potenza Power
	LxPxH			
⚡	mm	GN	V	kW
⚡ KH0623	519x628x770	6 GN 2/3	3N 400 - 50/60 Hz	5,7
⚡ KH061	519x803x770	6 GN 1/1	3N 400 - 50/60 Hz	7,9
⚡ KH101	519x803x1010	10 GN 1/1	3N 400 - 50/60 Hz	14,8



<b>T</b> VERSIONI CON VAPORE INSTANT - TOUCH SCREEN VERSIONS WITH INSTANT STEAM - TOUCH SCREEN				
Modello Model	Dimensioni Dimensions	Capacità Capacity	Tensione Voltage	Potenza Power
	LxPxH			
⚡	mm	GN	V	kW
⚡ KT0623	519x628x770	6 GN 2/3	3N 400 - 50/60 Hz	4,7
⚡ KT061	519x803x770	6 GN 1/1	3N 400 - 50/60 Hz	6,9
⚡ KT101	519x803x1010	10 GN 1/1	3N 400 - 50/60 Hz	13,8



<b>P</b> VERSIONI CON VAPORE INSTANT - PROGRAMMABILE VERSIONS WITH INSTANT STEAM - PROGRAMMABLE				
Modello Model	Dimensioni Dimensions	Capacità Capacity	Tensione Voltage	Potenza Power
	LxPxH			
⚡	mm	GN	V	kW
⚡ KP0623	519x628x770	6 GN 2/3	3N 400 - 50/60 Hz	4,7
⚡ KP061	519x803x770	6 GN 1/1	3N 400 - 50/60 Hz	6,9
⚡ KP101	519x803x1010	10 GN 1/1	3N 400 - 50/60 Hz	13,8



SINTESI DELLE DIFFERENZE TRA LE VERSIONI | SUMMARY OF THE DIFFERENCES BETWEEN THE VERSIONS

Funzioni / Functions	Kompatto H	Kompatto T	Kompatto P
Generazione vapore combinata / Combined steam production system	•	—	—
Meteo system / Meteo system	•	•	—
Steam tuner / Steam tuner	•	•	—
Cottura a bassa temperatura da 30°C / Low temperature cooking at 30°C	•	—	—
Cottura a bassa temperatura da 50°C / Low temperature cooking at 50°C	—	•	•
Raffreddamento in cottura / Cooling during cooking	•	•	—
Mantenimento / Maintenance	•	•	—
Cottura multilivello / Multi level cooking	•	•	—
Informazioni di sistema / Info system	•	•	•

**GIORIK**  
INNOVATIVE COOKING EQUIPMENT SINCE 1963



**Kaffee + Gastrotechnik**

**Busin**  
**Kaffee + Gastrotechnik**

Importeur Schweiz  
Verkauf / 24 Std. Service

Gstalterstrasse 54  
8607 Aathal-Seegräben

info@busin.ch  
www.busin.ch

T +41 (0)44 932 31 31  
M +41 (0)79 420 26 00

